

INCONEL® Alloy 600
2.4816
UNS N06600



Проволока/пруток холоднотянутый, отожженный

Ø 0.5 mm	в бухтах/Coils	1.66kg/km
Ø 1.2 mm	в бухтах/Coils	9.58kg/km
Ø 1.4 mm	в бухтах/Coils	13.04kg/km
Ø 1.6 mm	в бухтах/Coils	17.03kg/km
Ø 1.8 mm	в бухтах/Coils	21.55kg/km
Ø 1.0 mm		6.65kg/km
Ø 1.7 mm		19.23kg/km
Ø 2.0 mm		26.61kg/km
Ø 3.0 mm		59.87kg/km
Ø 5.0 mm		166.31kg/km
Ø 6.0 mm		239.48kg/km
Ø 7.0 mm		325.96kg/km
Ø 8.0 mm		425.75kg/km
Ø 9.0 mm		538.84kg/km
Ø 10.0 mm		665.23kg/km

Пруток горячекатанный отожженный,
обработанный на токарном станке

Ø 12.0 mm	0.95kg/m
Ø 16.0 mm	1.70kg/m
Ø 20.0 mm	2.65kg/m
Ø 22.0 mm	3.20kg/m
Ø 25.0 mm	4.14kg/m
Ø 30.0 mm	5.59kg/m
Ø 35.0 mm	8.11kg/m
Ø 40.0 mm	10.60kg/m
Ø 50.0 mm	16.60kg/m
Ø 55.0 mm	20.00kg/m
Ø 60.0 mm	23.80kg/m
Ø 70.0 mm	32.40kg/m
Ø 80.0 mm	42.40kg/m
Ø 90.0 mm	53.60kg/m
Ø 100.0 mm	66.20kg/m
Ø 110.0 mm	80.02kg/m
Ø 130.0 mm	112.00kg/m
Ø 160.0 mm	170.00kg/m

Лист/плита горяче/холоднокатанные,
отожженные, декапированные

0.5 x 1000 x 2000 mm	8.4kg/Tfl/pce
0.8 x 1000 x 2000 mm	13.4kg/Tfl/pce
1.0 x 1200 x 3000 mm	30.4kg/Tfl/pce

1.6 x 1200 x 3000 mm	48.6kg/Tfl/pce
2.0 x 1200 x 3000 mm	60.7kg/Tfl/pce
3.0 x 1200 x 3000 mm	91.0kg/Tfl/pce
4.0 x 1200 x 3000 mm	121.0kg/Tfl/pce
5.0 x 1200 x 3000 mm	152.0kg/Tfl/pce
6.0 x 1200 x 3000 mm	183.0kg/Tfl/pce
8.0 x 1200 x 3000 mm	244.0kg/Tfl/pce
10.0 x 1200 x 3000 mm	305.0kg/Tfl/pce

Труба холоднотянутая отожженная, декапированная

Ø 5.00 x 0.50 mm		0.06kg/m
Ø 6.00 x 1.00 mm		0.13kg/m
Ø 8.00 x 1.00 mm		0.19kg/m
Ø 10.00 x 1.00 mm		0.24kg/m
Ø 10.00 x 2.00 mm		0.42kg/m
Ø 12.00 x 1.00 mm		0.29kg/m
Ø 12.00 x 2.00 mm		0.52kg/m
Ø 13.72 x 2.24 mm	1/4" NB SCH 40	0.68kg/m
Ø 14.00 x 1.00 mm		0.34kg/m
Ø 14.00 x 2.00 mm		0.64kg/m
Ø 15.00 x 1.50 mm		0.54kg/m
Ø 17.14 x 2.31 mm	3/8 " NB SCH 40	0.91kg/m
Ø 18.00 x 2.00 mm		0.85kg/m
Ø 20.00 x 2.00 mm		0.95kg/m
Ø 21.34 x 2.11 mm	1/2 " NB SCH 10	1.07kg/m
Ø 21.34 x 2.77 mm	1/2 " NB SCH 40	1.36kg/m
Ø 22.00 x 1.00 mm		0.56kg/m
Ø 22.00 x 2.00 mm		1.06kg/m
Ø 24.00 x 2.00 mm		1.16kg/m
Ø 24.00 x 4.00 mm		2.11kg/m
Ø 25.00 x 2.00 mm		1.22kg/m
Ø 26.67 x 2.11 mm	3/4 " NB SCH 10	1.37kg/m
Ø 26.67 x 2.87 mm	3/4 " NB SCH 40	1.81kg/m
Ø 28.00 x 2.00 mm		1.37kg/m
Ø 30.00 x 2.50 mm		1.82kg/m
Ø 33.40 x 2.77 mm	1" NB SCH 10	2.24kg/m
Ø 33.40 x 3.38 mm	1" NB SCH 40	2.68kg/m
Ø 33.40 x 4.55 mm	1" NB SCH 80	3.47kg/m
Ø 36.00 x 3.00 mm		2.62kg/m
Ø 40.00 x 2.50 mm		2.48kg/m
Ø 42.00 x 3.00 mm		3.09kg/m
Ø 42.16 x 3.56 mm	1 1/4" NB SCH 10	3.64kg/m
Ø 48.26 x 1.60 mm		1.98kg/m
Ø 48.26 x 2.77 mm	1 1/2" NB SCH 10	3.33kg/m
Ø 48.26 x 3.68 mm	1 1/2" NB SCH 40	4.34kg/m
Ø 50.00 x 2.50 mm		3.47kg/m
Ø 55.00 x 2.00 mm		2.80kg/m
Ø 60.32 x 2.77 mm	2" NB SCH 10	4.21kg/m
Ø 60.32 x 3.91 mm	2" NB SCH 40	5.83kg/m
Ø 66.00 x 4.00 mm		6.60kg/m
Ø 76.00 x 3.00 mm		6.08kg/m

Ø 76.10 x 3.20 mm			6.21kg/m
Ø 88.90 x 3.05 mm	3"	NB SCH 10	6.92kg/m
Ø 88.90 x 5.49 mm	3"	NB SCH 40	12.18kg/m
Ø 114.30 x 3.05 mm	4"	NB SCH 10	8.98kg/m